



## Accredited Independent Testing Laboratory (AITL) Participation Application (F-5)

2435 N Lombard St · Portland, OR 97217 · Toll-free (866) 465-2523 · [www.coolroofs.org](http://www.coolroofs.org)

1. <b>Laboratory Name</b>	2. <b>Contact Name</b>
3. <b>Laboratory Address</b>	4. <b>Contact Address (if different from #3)</b>
5. <b>Contact Title</b>	
6. <b>Website</b>	7. <b>Email Address</b>
8. <b>Phone</b>	9. <b>Name of Person Who Participated in CRRC Training</b>
10. <b>Email Address</b>	11. <b>Phone</b>
12. <b>CRRC Rating Program (check all that apply)</b> <div style="display: flex; justify-content: space-between;"> <span>CRRC-1 Roof Product Rating Program</span> <span>CRRC-2 Wall Product Rating Program</span> </div>	
13. <b>Test Method Capability (check all that apply)</b>	
<b>Solar Reflectance</b> ASTM C1549 ASTM E1918 CRRC Test Method #1 <input type="checkbox"/> Tile <input type="checkbox"/> Wood and Variegated Products	CRRC Tile Template Method ASTM E903 ASTM C1864 CRRC Aggregate Test Method CRRC Directional-Hemispherical Solar Reflectance Test Method (using 410- Solar or 410-Solar-i)
<i>Wall Program Only: This laboratory has the capability of performing solar reflectance measurements using the AM1.5GV or equivalent setting and/or extracting the 1.5GV output from raw measurement data (see CRRC-2 Wall Program Manual)</i>	
<b>Thermal Emittance</b> ASTM C1371	Slide Method Moore's Aggregate Thermal Emittance Test Method
<b>Other</b> ASTM D1005 (Thickness) ASTM D751 (Thickness) (Roof Program Only)	ASTM 7091 (Thickness) (Wall Program Only) ASTM E805 (Color Measurements) ASTM D7897 (Laboratory Soiling and Weathering) (Roof Program Only)
14. <b>Enclosures</b> Statement of Independence per CRRC-1 §2.4(C) ISO 17025 Accreditation Certificate per CRRC-1 §2.4(A) Signed Laboratory License Agreement (CRRC A-3) Laboratory Logo License Agreement (CRRC-A-7) Accredited Laboratory Fee Certificate of Completion of CRRC Radiative Property Training	
15. <b>I hereby attest that:</b> a) I consent to receiving electronic communication from the CRRC, including from the CRRC News listserv. I understand that I can unsubscribe from the CRRC News listserv at any time; and b) The above information is true and accurate.	
_____ Signature of Responsible Person	_____ Date
_____ Printed Name of Responsible Person	_____ Title

*A facsimile, emailed, or electronically delivered copy of this Application or of a signature of a party will be effective as an original.*



# Accredited Independent Testing Laboratory (AITL) Participation Application (F-5)

2435 N Lombard St · Portland, OR 97217 · Toll-free (866) 465-2523 · [www.coolroofs.org](http://www.coolroofs.org)

<b>Roof Program Rapid Ratings Laboratory Application (Optional)</b>	
Please complete the below information if you intend for your laboratory to become an approved Rapid Ratings Laboratory for the Roof Product Rating Program.	
<b>1. Name of Laboratory Staff Person Who Participated in CRRC Rapid Ratings Training</b>	<b>2. Date Laboratory Staff Person Attended CRRC Rapid Ratings Training</b>
<b>3. Address of Rapid Ratings Trained Person (if different from laboratory address)</b>	<b>4. Title of Rapid Ratings Trained Person</b>
<b>5. Email Address of Rapid Ratings Trained Person</b>	<b>6. Phone of Rapid Ratings Trained Person</b>
<b>7. Enclosures</b>  Copy of ISO 17025 Scope of Accreditation that includes ASTM D7897 Certificate of Completion of CRRC Rapid Ratings training workshop	
<b>8. I hereby attest that:</b> <ul style="list-style-type: none"> <li>a) ASTM D7897 is included in our laboratory's ISO 17025 Scope of Accreditation or we will update our scope to include the standard practice when we renew our ISO accreditation.</li> <li>b) At least one laboratory employee has participated in a CRRC Rapid Ratings workshop; and</li> <li>c) The above information is true and accurate.</li> </ul>	
Signature of Rapid Ratings Trained Person	Date
Printed Name of Rapid Ratings Trained Person	Title
<b>FOR CRRC USE ONLY</b>	Lab ID: _____ Date: _____ Approved By: _____

*A facsimile, emailed, or electronically delivered copy of this Application or of a signature of a party will be effective as an original.*